

Pro-Generators

901001	New	Pro-8a 1200 Air, with Sync Cable and Power cable	6 457,00
901002	New	Pro-8a 2400 Air, with Sync Cable and Power cable	8 140,00
900722		Pro-7a 1200 with Sync Cable and Power cable	5 372,00
900723		Pro-7a 2400 with Sync Cable and Power cable	6 798,00
900738		Pro-7s 1200 with Sync Cable and Power cable	4 968,00
900739		Pro-7s 2400 with Sync Cable and Power cable	6 176,00
900721		Pro-7b 1200 Generator Battery operated, incl. Multivoltage charger and Generator Sync cable	3 578,00
900880		Pro-B2 1200 Generator Incl. Multivoltage charger and Sync cable	4 196,00
900896		Pro-B2r 1200 Generator 344MHz Incl. Multivoltage charger, Sync cable, Radio receiver (US) ProHead [900709] recommended for Pro-B2 (not included)	4 595,00
900897		Pro-B2r 1200 Generator 433MHz Incl. Multivoltage charger, Sync cable, Radio receiver (EUR)	4 595,00

Pro-Heads with UV-coated glass covers

900709		ProHead Top performing light quality, dual lead technology fan cooled, incl. uncoated Flashtube, 250W halogen modelling Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Transport Cap, Stand Adapter, Handle and Lamp Cable 4 m. Max energy = 4800Ws For Pro-8, Pro-7a /s, Pro-B2 (max 250W) and D4 generators	1 433,00
300515		ProRing UV dual lead technology, incl. UV-coated Flashtube, Stand/Camera Adapter and Lamp Cable 4m. Max energy = 9600Ws/minute	1 135,00
300517		ProRing2 dual lead technology, incl UV-reduced Quartz Flashtube (for unlimited usage). Stand/camera adapter and lamp cable 4m, 200W modeling light.	1 846,00
900725		Pro-B head UV, w/ Disc reflector for Pro-7b and Pro-B2, convection-cooled, incl. uncoated Flashtube, 100W Halogen lamp (max), Mini-can E11 socket, UV-coated removable frosted Glass Cover, Stand Adapter, Transport Cap, Lamp Cable 4m and Disc reflector	748,00
900782		Pro-B head UV Zoom reflector for Pro-7b and Pro-B2, convection-cooled, incl. uncoated Flashtube, 100W Halogen lamp (max), Mini-can E11 socket, UV-coated removable frosted Glass Cover, Stand Adapter, Transport Cap, Lamp Cable 4m and New Zoom reflector	817,00
900719		ProTwin UV Top performing light quality, dual lead technology, fan cooled, incl. two uncoated Flashtubes, 500W halogen Lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter, Handle and split Lamp Cable 4m. Max energy = 2x4800Ws	2 424,00
900727		ProHead UV 500W Top performing light quality, dual lead technology, fan	1 460,00

cooled, incl. uncoated Flashtube, 500W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Transport Cap, Stand Adapter, Handle and Lamp Cable 4m. Max energy = 4800Ws
For Pro-8, Pro-7a /s and D4 generators

Pro-Heads with uncoted glass covers

900760	*	ProHead UNC Top performing light quality, dual lead technology, fan cooled, incl. uncoated Flashtube, 250W Halogen lamp Mini-can E11 socket, uncoated removable frosted Glass Cover, New Zoom Reflector, Transport Cap, Stand Adapter, Handle and Lamp Cable 4m. Max energy = 4800Ws	1 433,00
300516		ProRing UNC dual lead technology, incl. UNC-coated Flashtube, Stand and Camera Adapter and Lamp Cable 4m. Max energy = 9600Ws/minute	1 135,00
900754	*	ProB head UNC for Pro-7b only, convection-cooled, incl. uncoated Flashtube, 100W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, Stand Adapter, Disc reflector, Transport Cap and Lamp Cable 4m	748,00
900770	*	ProTwin UNC top performing light quality, accessory bracket, dual lead technology, fan cooled, incl. two uncoated Flashtubes, 500 W Halogen Lamp, Mini-can E11 socket, uncoated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter, Handle and split Lamp Cable 4m. Max energy = 2x4800Ws	2 424,00

Pro Accessories

341001		Stand Attachment for Telescopic Pole on 1200 (not 7b/B2) Flash Generator	68,00
341002		Stand Attachment for Telescopic Pole on Pro-6/7 2400 and ProStill Flash Generator	68,00
101075		Telescopic Pole for attachment to Pro-7a, Pro-7s, Pro-6, ProPack Flash Generator, 68/250cm, with Profoto snap-lock	111,00
100708		Transport Protective Cap for flash heads	11,00
100710		Protective Cap with locking ring for all Profoto Heads, extra strong (aluminium)	111,00
303518		Pro Lamp Extension Cable 5m	243,00
303519		Pro Lamp Extension Cable 10m	332,00
100709		Handle for ProHead, ProB head and ProTwin (included with head)	33,00
900726		Battery 12V, incl cassette for Pro-7b and Pro-B2	364,00
100221		Battery only for Pro-7b and Pro-B2	85,00
900765		Pro-B2/7b UPA Univ.Power Adap. Kit (for 12/24V or 90-240V), incl power cable (for Acute/ComPact)	1 277,00
100229	*	Dust Cover Pro-7 Generators	70,00
100218		Profoto Battery Charger 2A incl. adapters for EUR, US/JAP, UK and AUS (5hours) included	202,00

100784	with Pro-7b/ B2 generator and rapid charger (2,5hours) for AcuteB Diffusor for Ring flash	171,00
--------	---	--------

Products for powering Pro generators

102506	Pro/D4 Power Cable EUR 5m, for Pro-8/7/6, D4, ProPack and 1200PD Ballast, grounded.	65,00
102507	Pro/D4 Power Cable US/CAN 5m, for Pro-7, D4, Pro-6 and ProPack, grounded	97,00
102514	Pro/D4 Power Cable DK 5m, for Pro-7,D4, Pro-6, ProPack and PD Magnetic Ballast, grounded for 200V	97,00
102516	Pro/D4 Power Cable UK 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast, grounded	97,00
102520	Pro/D4 Power Cable Swizerland 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast	97,00
100217	ProGas2 Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComPact with a 230V petrol electric generator set	523,00

Flashtubes for Pro heads

101528	ProHead Flashtube for ProHead, Pro-7 head and PB head, uncoated. Max 4800Ws	354,00
101532	Single Twin Flashtube for ProTwin, uncoated. Max 4800Ws	418,00

THE PRO RING FLASH IS NOT USER REPLACEBLE
PLEASE, CONTACT YOUR PROFOTO SERVICE STATION

301501	ProRing Flashtube for ProRing, UV-coated. Max 4800Ws.	470,00
301502	Flashtube Ringflash UNC	470,00
301508	ProRing2 Flashtube Ozone free high power quartz flashtube. max 4800Ws	894,00

Glas Covers for Pro Heads

Glass covers 75 mm

101533	ProHead + AcuteD4 head Glass Cover frosted, UV-coated	158,00
101535	* ProHead + AcuteD4 head Glass Cover frosted, X-tra UV-coated	169,00
101534	ProHead + AcuteD4 head Glass Cover frosted, uncoated	152,00
101537	ProHead + AcuteD4 head Glass Cover clear, UV-coated	158,00
101536	ProHead + AcuteD4 head Glass Cover clear, uncoated	158,00

Glass covers 100 mm

101518	PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead with 500W, ComPact and ProTungsten, frosted, UV-coat, frosted, UV-coated and for Prohead w. 500W	158,00
101519	* PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact and ProTungsten, frosted, extra UV-coated	169,00
101520	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, frosted, uncoated	152,00
101521	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, UV-coated	158,00
101523	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, uncoated	158,00
100702	Locking Springs for all Glass Covers above, set of two	6,00
301503	Glass Cover Plate for Ringflash, set of 6 pieces	17,00

Modelling Lamps for Pro Heads

102002	Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	22,00
102007	Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	31,00
102014	Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	20,00
102019	20W 12V Frosted G4 for ProRing2 (10 lamps is used in ProRing2)	2,00

Acute and D4

D4-Generators

900871	D4 1200 Generator incl. Syncro Cable and power cable	5 766,00
900872	D4 2400 Generator incl. Syncro Cable and power cable	6 099,00
900877	D4 4800 Generator incl. Syncro Cable and power cable	8 307,00

D4 R Generators

900875	D4r 1200 Generator incl. Syncro Cable and Radio receiver EUR (Radio 433 Mhz) and power cable	6 365,00
900876	D4r 2400 Generator incl. Syncro Cable and Radio receiver EUR (Radio 433 MHz) and power cable	6 694,00
900879	D4r 4800 Generator incl. Syncro Cable and Radio receiver (Radio 433 Mhz) and power cable	8 725,00
900873	D4r 1200 Generator incl. Syncro Cable and Radio receiver US (Radio 344 MHz) and power cable	6 365,00
900874	D4r 2400 Generator incl. Syncro Cable and Radio receiver US (Radio 344 MHz) and power cable	6 694,00
900878	D4r 4800 Generator incl. Syncro Cable and Radio receiver US (Radio 344 MHz) and power cable	8 725,00
100281	Dust cover D4 Generator	66,00

D4 Computer access. Approved for use with D4

103201	USB Standard Cable 5m	6,00
103202	USB Active Extension Cable 5m	68,00

Products for powering D4

102506	Pro/D4 Power Cable EUR 5m, for Pro-8/7/6, D4, ProPack and 1200PD Ballast, grounded.	65,00
102507	Pro/D4 Power Cable US/CAN 5m, for Pro-7, D4, Pro-6 and ProPack, grounded	97,00
102514	Pro/D4 Power Cable DK 5m, for Pro-7,D4, Pro-6, ProPack and PD Magnetic Ballast, grounded for 200V	97,00
102516	Pro/D4 Power Cable UK 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast, grounded	97,00
102520	Pro/D4 Power Cable Swizerland 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast	97,00
100217	ProGas2 Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComCompact with a 230V petrol electric generator set	523,00

Acute2 Generators

900773	Acute2 1200 Generator incl. Synchro Cable and Power cable	1 544,00
900774	Acute2 2400 Generator incl. Sync Cable and Power cable	2 093,00

Acute2R Generators

900811	Acute2r 1200 Generator 433MHz EUR Radio incl. Synchro Cable and power cable	1 927,00
900812	Acute2r 2400 Generator 433MHz EUR Radio incl. Synchro Cable and power cable	2 483,00
900775	Acute2r 1200 Gen. 344MHz US Radio incl. Synchro cable and power cable	1 927,00
900776	Acute2r 2400 Gen. 344MHz US Radio incl. Synchro cable and power cable	2 483,00

AcuteB Generators

900931	AcuteB 600 generator Battery operated, incl battery charger 1A and Sync cable	1 739,00
900933	AcuteB 600 433MHz Battery operated, incl battery charger 1A and Sync cable and Radioreceiver EU	2 032,00
900932	AcuteB 600 344MHz Battery operated, incl battery charger 1A Sync cable and Radioreceiver US	2 032,00

AcuteB Value Kits

900970	AcuteB 600 Kit UNC, including 1 AcuteB generator 900931, 1 AcuteB Head 900938 and 1 Bag 330208.	2 442,00
900971	AcuteB 600 Kit UV, including 1 AcuteB generator 900931, 1 AcuteB Head 900935 and Bag 330208.	2 442,00

900972	AcuteB 600 Kit, 344Mhz UNC, including 1 AcuteB generator 900932 w/ built in radio, 1 AcuteB Head 900938 and 1 Bag 330208.	2 741,00
900973	AcuteB 600 Kit, 344Mhz UV, including 1 AcuteB generator 900932 w/ built in radio, 1 AcuteB Head 900935 and 1 Bag 330208.	2 741,00
900974	AcuteB 600 Kit, 433Mhz UNC, including 1 Acute generator 900933 w/ built in radio, 1 AcuteB Head 900938 and 1 Bag 330208.	2 741,00
900975	AcuteB 600 Kit, 433Mhz UV, including 1 AcuteB generator 900933 w/ built in radio 1 AcuteB Head 900935 and 1 Bag 330208.	2 741,00

Acute2 Value Packs

900771	Acute2 1200 Value Kit incl. 1 pce 900773 Acute2/1200 generator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	3 404,00
900772	Acute2 2400 Value Kit incl. 1 pce 900774 Acute2/2400 generator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	3 996,00
900823	Acute2r 1200 Value Pack incl. 900811 Acute2R 1200 genrator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	3 766,00
900824	Acute2r 2400 Value Pack incl. 900812 Acute2R 1200 genrator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	4 271,00
900691	Acute2 1200 Value Kit 500W incl. 1 pcs 900773 Acute2/1200 generator, 2 pcs 900669 Acute2 Head and 1 case 330210	3 442,00

Acute/D4 heads, 230 V markets

Acute/D4 Heads with UV-coated glass covers

900666	*	Acute/D4 head 230V fan cooled, incl. uncoated Flashtube, 250W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy= 4800Ws	921,00
900669		Acute/D4 head 230V 500W fan cooled, incl. uncoated Flashtube, 500W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy = 4800Ws	944,00
330513		Acute/D4 Ring incl. UV-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	813,00
900678		Acute/D4 twin 230V fan cooled, incl. two uncoated Flashtubes, , UV-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter and split Lamp Cable 4m. Max energy = 2x4800Ws	1 631,00

Acute/D4 Heads with uncoated glass covers

900625	*	Acute/D4 head UNC 230V fan cooled, incl. uncoated Flashtube,	921,00
--------	---	--	--------

		UNC-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamb Cable 5m. Max energy = 4800Ws	
900617	*	Acute/D4 twin UNC 230V fan cooled, incl. two uncoated Flashtubes, UNC-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter and split Lamp Cable 4m. Max energy = 2x4800Ws	1 631,00
330514	*	Acute/D4 Ring incl. UNC-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	813,00
Acute/D4 heads, 120V markets			
Acute/D4 Heads with UV-coated glass covers			
900667	*	Acute/D4 head 120V fan cooled, incl. uncoated Flashtube, 250V Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy = 4800Ws	848,00
900639	*	Acute/D4 head 120V / 500W fan cooled, incl. uncoated Flashtube, 500W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy = 4800Ws	866,00
330513		Acute/D4 Ring incl. UV-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	813,00
900677		AcuteD4 twin 120V fan cooled, incl. two uncoated Flashtubes, 500W Halogen Lamp, Mini-canE11 socet, UV-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter and split Lamb Cable 4m. Max energy = 2x4800Ws	1 561,00
Acute/D4 Heads with uncoated glass covers			
900618		Acute/D4 head UNC 120V fan cooled, incl. uncoated Flashtube, UNC-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamb Cable 4m. Max energy = 4800Ws	921,00
900619		Acute/D4 Twin UNC 120V fan cooled, incl. two uncoated Flashtubes, uncoated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter and split Lamp Cable 4m. Max energy = 2x4800Ws	1 631,00
330514	*	Acute/D4 Ring incl. UNC-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	813,00
AcuteB Head -UV coated glass covers			
900935		AcuteB Head UV For AcuteB only, convection-cooled, incl Flashtube, high effeiciency 65W halogen lamp, UV-coated removable frosted Glass Cover stand adapter, transport cap, lamp cable 3m and Disc reflector	612,00
900936		AcuteB Head Zoom UV For AcuteB only, convection-cooled, incl Flashtube,	644,00

high efficiency 65W halogen lamp,
UV-coated removable frosted Glass Cover
stand adapter, transport cap, lamp cable 3m
and Zoom reflector

AcuteB Head -Uncoated glass covers

900938	AcuteB Head UNC For AcuteB only, convection-cooled, incl Flashtube, high efficiency 65W halogen lamp, UNC-coated removable frosted Glass Cover stand adapter, transport cap, lamp cable 3m and Disc reflector	612,00
900937	AcuteB Head Zoom UNC	644,00

ComPacts

Compact Flash Units

900881	ComPact 300 230V 300Ws, fan cooled, incl. UV-coated Flashtube, 100W Modelling Lamp, E27, Stand Adapter and Transport Cap and power cable	403,00
900885	ComPact 300 Spec. 300 Ws, fan cooled, incl. UV-coated Flashtube, 150W Halogen Lamp, E27, uncoated removable frosted Glass Cover, Stand Adapter and Transport Cap and power cable	463,00
900944	ComPact 300 R 433MHz EUR Radio Spec. incl 150W Halogen Lamp UV-coated removable frosted Glass Cover	662,00
900941	ComPact 300 R 344MHz US radio incl 150W Halogen Lamp, UV- coated removable frosted Glass Cover	662,00
900883	ComPact 600 600 Ws, fan cooled, incl. UV-coated Flashtube, 100W Modelling Lamp, E27, Stand Adapter and Transport Cap and power cable	458,00
900887	ComPact 600 Spec. 600 Ws, fan cooled, incl. UV-coated Flashtube, 250W Halogen Lamp, E27, uncoated removable frosted Glass Cover, Stand Adapter, Transport Cap and Power Cable	537,00
900945	ComPact 600 R 433MHz EUR Radio Spec. incl 250W Halogen Lamp UV-coated removable frosted Glass Cover	735,00
900942	ComPact 600 R 344MHz US radio Spec. incl 250W Halogen Lamp, UV-coated removable frosted Glass Cover	735,00
900889	ComPact 1200 1200 Ws fan cooled, incl. uncoated Flashtube, 500 W Halogen Lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, Stand Adapter and Transport Cap and power cable	768,00
900946	ComPact 1200 R 433MHz EUR Radio Spec. incl 500W Halogen Lam UV-coated removable frosted Glass Cover	966,00
900943	ComPact 1200 R 344MHz US radio Spec. incl 500W Halogen Lamp UV-coated removable frosted Glass Cover	966,00
900901	ComPact kit 300/300 Incl. 2 pcs ComPact 300 Ws [900881], 2 Disc Refletors [100654], 1 Umbrella White Small [100611], 1 Umbrella translucent small [100613], 1 Sync cable [103001], 2 ComPact stands [101003] and Soft case [330210].	1 391,00

900683	ComPact Spec. 300/300 Kit incl. 2 pcs Compact 300 Ws [900885], 2 disc reflectors [1006 2 umbrella white small [100611], 1 sync cable [103001] and soft case [330210]	1 354,00
900694	ComPact Kit 300/600 incl. [900885] ComPact Special 300, [900887] ComPact Plus Special 600, 2 Disc reflector [100654], 1 sync cable [103001], 1 case [330210], 2 white umbrellas [100611]	1 428,00
900699	ComPact Plus Special 600/600 Ws kit Incl. 2 pcs [900887] ComPact Plus Special 600, 2 Disc reflector [100654], 1 sync cable [103001], 1 case [330210], 2 white umbrellas [100611]	1 502,00
900903	ComPact Kit 600/600 Hard incl 2 ComPact Plus 600 [900887], 2 Zoom Reflectors [100610] 1 Sync cable [103001], 1 ComPact Hard Case [6631010] and 2 Maxi stand [101004].	1 865,00
900988	ComPact Kit 600/600 R Hard incl 2 ComPact 600R [900945/42], 2 Zoom Reflectors [100610] 1 Sync cable [103001], 1 ComPact Hard Case [6631010] and 2 Maxi stand [101004].	2 301,00

Accessories for Acute and ComPact

330601	Lamp Extension Cable 5m for Acute and Acute2 Head (Yellow marking)	187,00
100708	Transport Protective Cap for flash heads	11,00
100291	Profoto Adapter 85W for AcuteB for running the mod.lamp via mains power supply	204,00
100290	Profoto Battery Charger Kit 1A Standard charger (5 hours) for AcuteB 600 generator incl. adapters for EUR, US/JAP, UK and AUS	97,00
330208	Profoto AcuteB Kit Bag incl. Strap. For 1 AcuteB, 1 AcuteB head, extra battery and battery charger (41x13x24cm) with dividers	74,00
100218	Profoto Battery Charger 2A incl. adapters for EUR, US/JAP, UK and AUS (5hours) included with Pro-7b/ B2 generator and rapid charger (2,5hours) for AcuteB	202,00
100222	Battery for AcuteB 12V 5Ah	31,00
900934	Acute B Battery, incl. Cassette	191,00
330605	Lampadapter E11 / Gy 6.35	43,00

Products for powering Acute and ComPact

102501	A/CP Power Cable EUR 5m, for Acute, PD575 and ComPact, grounded	33,00
102502	A/CP Power Cable JAP 5m, for Acute, PD575 and ComPact, ungrounded	51,00
102509	A/CP Power cable US/JAP 5m, for Acute, PD575 and ComPact, grounded	66,00
102511	* A/CP Power Cable JAP 5m, for Acute, PD575 and ComPact, grounded for 200V	64,00
102517	A/CP Power Cable UK 5m, for Acute, PD575 and ComPact, grounded	66,00
102513	A/CP Power Cable DK 5m, for Acute, PD575 and ComPact, grounded	66,00
102519	Power Cable Acute/ComPact CH 5m, for Acute, PD575 and	66,00

ComPact, grounded

100217	ProGas2	523,00
	Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComPact with a 230V petrol electric generator set	

Flashtubes for Acute and ComPact

331507	ComPact 300 Flashtube for ComPact,UV-coated. Max 300Ws	140,00
331508	* ComPact 300 Flashtube for ComPact, uncoated. Max 300Ws	140,00
331511	ComPact 600 Flashtube for ComPactPlus, UV-coated. Max 600Ws	171,00
331510	* ComPact 600 Flashtube for ComPactPlus, uncoated. Max 600Ws	171,00
331514	CPP + Acute2 Flashtube for ComPactPlus 1200 and Acute2 head, uv-reduced. Max 4800Ws	325,00
331515	Acute/D4 Twin Flashtube for Acute/D4 twin head, uv-reduced. Max 4800Ws	397,00
331521	Flashtube for AcuteB Head. Max 600Ws	171,00
331517	Acute/D4 ring Flashtube for Acute2 Ring, UV-coated. Max 3000Ws	470,00
331518	* Acute/D4 Ring UNC Flashtube	470,00

THE ACUTE/D4 RING FLASHTUBE IS NOT USER REPLACEBLE
PLEASE, CONTACT YOUR PROFOTO SERVICE STATION

Glass Covers for Acute and ComPact

101533	ProHead + AcuteD4 head Glass Cover frosted, UV-coated	158,00
101535	* ProHead + AcuteD4 head Glass Cover frosted, X-tra UV-coated	169,00
101534	ProHead + AcuteD4 head Glass Cover frosted, uncoated	152,00
101537	ProHead + AcuteD4 head Glass Cover clear, UV-coated	158,00
101536	ProHead + AcuteD4 head Glass Cover clear, uncoated	158,00
101518	PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead with 500W, ComPact and ProTungsten, frosted, UV-coat, frosted, UV-coated and for Prohead w. 500W	158,00
101519	* PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact and ProTungsten, frosted, extra UV-coated	169,00
101520	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, frosted, uncoated	152,00
101521	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, UV-coated	158,00
101523	PB Glass Cover	158,00

for ProTwin, PB Head and Acute2 Twin Head, Acute Head,
ComPact and ProTungsten, clear, uncoated

100702	Locking Springs	6,00
	for all Glass Covers above, set of two	
301503	Glass Cover Plate	17,00
	for Ringflash, set of 6 pieces	

Modelling Lamps for Acute and ComPact 230V

102008	Modelling Lamp 100W/240V, E27 socket	4,00
102010	Modelling lamp 150W/240V, Halogen, E27 socket	22,00
102012	Modelling Lamp 250W/240V, Halogen, E27 socket	22,00
102013	Modelling Lamp 250W/240V, Halogen, Mini-can E11 socket	20,00
102015	Modelling Lamp 500W/240V, Halogen, Mini-can, E11 socket	30,00

120V

102021	150W 120V Halogen Mod.lamp E27	20,00
102014	Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	20,00
102011	Modelling Lamp 150W/120V, Halogen, E27 socket	22,00
102016	Modelling Lamp 250W/120V, Halogen, E27 socket	26,00
102002	Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	22,00
102007	Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	31,00

Low voltage

102018	65W 12V Halogen GY 6,35 For AcuteB Head	11,00
--------	---	-------

Syncro Devices

Syncro cables

103001	Syncro Cable 5m	33,00
103002	Syncro Extension Cable 5m	33,00
103005	Syncro Interconnection Cable	98,00
	for connecting flash generators with the syncro cord, opto- isolated, 5m	
103006	Double Syncro Inlet	17,00

Profoto Air

901031	New	Profoto Air Remote No cables included.	178,00
901032	New	Profoto Air Sync No cables included.	131,00
901034	New	Profoto Air USB	948,00

Profoto Air accessories

103011	New	Male 3,5mm miniphone to PC	7,00
103012	New	Male 3,5mm miniphone to Canon remote connector.	24,00
103013	New	Male 3,5mm miniphone to Nikon remote connector.	24,00
103014	New	Male 3,5mm miniphone to Hasselblad remote connector.	48,00
103015	New	Male 3,5mm miniphone and hotshoe mount to male 1/4 phono	150,00
103016	New	1/4 Phono male to 3,5mm miniphone male	7,00
103017	New	USB 2.0 Extension Cable, Type-A Male to	4,00
103018	New	Sync adapter 1/4 Phono male to miniphone	7,00
103019	New	Plastic Hotshoe Grip	7,00

LPA Pocket Wizard transmitter

100232		PocketWizard MultiMAX T/R (CE Version)	361,00
100286		PocketWizard Plus2 T/R (CE Version)	254,00
100293		PocketWizard Plus2 T/R (US Version)	254,00
100296	*	PocketWizard MultiMAX T/R (US Version)	361,00

LPA Pocket Wizard accessories

100241		MPCF Female to Miniphone Male Adapter	17,00
100243		PC1 PC to Miniphone Cable, 1' Straight	19,00
100244	*	PC10 PC to Miniphone Cable, 10' Straight	17,00
100245	*	PC16 PC to Miniphone Cable, 16' Coiled	40,00
100246		PC5 PC to Miniphone Cable, 5' Coiled	29,00
100247	*	PC5H Hasselblad Long Tip PC to Miniphone 5' C	47,00
100248	*	PC5N Nikon Locking PC to Miniphone Cable 5' C	47,00
100250		MA1 Elinchrom to Miniphone Cable, 16" Straight	171,00
100253	*	MH1 Household to Miniphone Cable, 16" Straig	33,00
100254		MH10 Household to Miniphone Cable, 10' Straight	68,00
100255	*	MH3 Household to Miniphone Cable, 3' Straight	44,00
100256		MM1 Miniphone to Miniphone Cord, 16" Straight	26,00
100257	*	MM6 Miniphone to Miniphone Cord, 6' Straight	17,00
100258	*	MMX Miniphone to Miniphone Ext., 10' St	22,00
100259		MP1 1/4" Phono to Miniphone Cable, 16" Straight	26,00
100260		MP3 1/4" Phono to Miniphone Cable, 3' Straight	26,00
100263		SMM1 Subminiphone Male to Miniphone, 16	26,00
100264	*	SMM3 Subminiphone Male to Miniphone, 3' Strai	17,00
100265		CM-N3 Canon N3 Motor Drive Cord, 3' Straight	117,00
100266		CM-N3-P Canon N3 Motor Drive Cord, Pre-release	156,00
100267	*	CM-T3 Canon T3 Motor Drive Cord, 3' Straight	90,00
100268	*	CM-T3-P Canon T3 Motor Drive Cord, Pre-Releasabl	158,00
100273		N90M3 Nikon 10 Pin Motor Drive Cord, 3' Straight	156,00
100274		N90M3-P Nikon 10 Pin Motor Drive Cord, Pre-Release	195,00
100275	*	NM3 Nikon 2 Pin Motor Drive Cord, 3' Straigh	101,00
100276	*	NM3-P Nikon 2 Pin Motor Drive Cord, Pre-Releas	141,00
100279	*	RZM3 Mamiya RZ Motor Drive Cord, 3' Coiled	187,00
100280	*	RZM3-P Mamiya RZ Motor Drive Cord, Pre-Releasab	197,00
100288		CM-E3 Hasselblad H Motor Drive Cord, 1m	31,00
100289		CM-E3-P Hasselblad H Motor Drive Cord Pre-Releaseable	101,00
100255	*	MH3 Household to Miniphone Cable, 3' Straight	44,00

Equipment for Continuous light ProTungsten(Tungsten-Halogen light)

900562		ProTungsten 230V incl. uncoated removable frosted Glass Cover, Stand Adapter, 2-pin G6,35 socket, Transport Cap and Power Cable 5m(EUR). Excl. Halogen lamp and reflector. Max power = 1000W	558,00
900910		ProTungsten Value Kit Incl. 2 Protungsten 900562, 1 Zoom Reflector 100610, 1 Barndoor 100671, 1 Softbox 2x2 254525 and Speedring 100660	1 360,00

Light Shaping Tools

Multispot

100733		MultiSpot 120V 80 mm Fresnel lens, max 1200 Ws and 8 * 1200/min 300 W lamp.	2 039,00
100773	*	MultiSpot 230V 80 mm Fresnel lens, max 1200 Ws and 8 * 1200/min 300 W lamp.	2 039,00
100744		BarnDoor for MultiSpot	202,00
100775		Mounting adapt. for Dedolight	327,00
100746		Projection att. for Dedolight (Incl. mounting adapt. 100775)	825,00
100747		Shutter kit (4pcs) for Projection att.	56,00
100748		Iris Diaphragm for Projection att.	134,00
100749		Slide Holder for Projection att.	74,00
100745	*	Mask. Kit for Multi / Zoom-Spot	1 680,00
100750		Clear fresnel lens 80mm for MultiSpot	102,00
101570		Flashtube for MultiSpot	512,00
102070		Mod. lamp 230V/300W GX/GY 6,35 Frosted	37,00
102071		Mod. lamp 120V/300W GX/GY 6,35 Frosted	37,00

ZoomSpot

100734		ZoomSpot 117V Incl. turning mechanism, 2 pin spot sizes and shutters	6 068,00
100764	*	ZoomSpot 230V Incl. turning mechanism, pin spot sizes and shutters	6 068,00
100774		Iris Diaphragm for ZoomSpot Pro focus and the old ProZoom spot	377,00
101571		Flashtube for ZoomSpot	768,00
100694		Pin Spot set six different sizes	51,00
100695		Pattern Holder for gobos size A with outer diam. 100mm	54,00
100745	*	Mask. Kit for Multi / Zoom-Spot	1 680,00
102071		Mod. lamp 120V/300W GX/GY 6,35 Frosted	37,00
102072		Mod. lamp 230V/650W GX/GY 6,35	37,00

StripLights

100735		Profoto Strip Short 117V 0,7 m long and 10 cm wide, 1 flashtude cable	2 181,00
100765	*	Profoto Strip Short 230V 0,7 m long and 10 cm wide, 1 flashtude cable	2 181,00
100742		BarnDoor for StripLight S (1 pair)	441,00
100751		Diffusing cover for StripLight S (std)	237,00
100752		Clear cover for StripLight S (Optional)	264,00
100780		Striplight Case Small (104x25x24cm) for StripLight S w/ Barndoors	748,00
100736		Profoto Strip Medium 117V 1,3 m long, 10 cm wide, 2 flashtube cables	3 404,00
100766	*	Profoto Strip Medium 230V 0,7 m long and 10 cm wide, 1 flashtude cable	3 404,00
100743		BarnDoor for StripLight M (1 pair)	462,00
100753		Diffusing cover for StripLight M (std)	285,00
100754		Clear cover for StripLight M (Optional)	332,00
100781		Striplight Case Medium (164x25x24cm) for StripLight M w/ Barndoors	1 001,00

100737		Profoto Strip Large 117V 1,9 m long, 10 cm wide, 3 flash tube cables	4 475,00
100767	*	Profoto Strip Large 230V 1,9 m long, 10 cm wide, 3 flash tube cables	4 475,00
100757		BarnDoor for StripLight L (1 pair)	473,00
100755		Diffusing cover for StripLight L (std)	313,00
100756		Clear cover for StripLight L (Optional)	370,00
100782		Striplight Case Large (231x25x24cm) for StripLight L w/ Barndoors	1 405,00
101578		Flashtube StripLight & StillLight NEW	725,00
102073		Mod. lamp 12V/20W G4 Socket for 120V markets (osram type 52) (10 per section/flashtube)	4,00
102074		Mod. lamp 24V/20W G4 Socket for 230V markets (osram type 52) (10 per section/Flashtube)	4,00

Stick Light

100738		StickLight Max power 2400 Ws and max 4x2400/min	1 461,00
101573		Flashtube for StickLight	410,00

Still Lights

100739	*	StillLight XL 117V 60x80 cm, 3 flash tubes and 3 cables	5 557,00
100769	*	StillLight XL 230V	5 557,00
100776	*	BarnDoor for StillLight XL (1 only)	253,00
100740	*	StillLight XXL 117V 80x120 cm, 8 flashtubes and 4 cables	10 511,00
100770	*	StillLight XXL 230V	10 511,00
100777	*	BarnDoor for StillLight XXL (1 only)	262,00
101578		Flashtube StripLight & StillLight NEW	725,00
102075		Mod. lamp 230V/150W Ba15d StillLight XL has 3x3 lamps x 150W =1350W	22,00
102076		Mod. lamp 120V/150W Ba15d StillLight XL has 3x3 lamps x 150W = 1350W	31,00
102077		Mod. lamp 120V/75W Ba15d StillLight XXL has 4x6 lamps x 75W = 1800W	15,00
102078		Mod. lamp 230V/75W Ba15d StillLight XXL has 4x6 lamps x 75W = 1800W	15,00

Fresnel Spot

100741		FresnelSpot 117V 175 mm lens, adj. light angle 10-50 degrees, 300w lamp	4 162,00
100771	*	FresnelSpot 230V 175 mm lens, adj. light angle 10-50 degrees, 300w lamp	4 162,00
100758		BarnDoor for FresnelSpot	295,00
100762		Filter Holder for FresnelSpot	87,00
102071		Mod. lamp 120V/300W GX/GY 6,35 Frosted	37,00
102070		Mod. lamp 230V/300W GX/GY 6,35 Frosted	37,00
102072		Mod. lamp 230V/650W GX/GY 6,35	37,00
901501		Assembly set incl flashtube and glass cover	1 375,00

Easystands

101090	EasyStand M	1 062,00
101091	EasyStand L	2 418,00
	With counterweight for zero gravity control max 15 kg.	
101092	EasyStand XL With counterweight for zero gravity control max 22 kg.	3 775,00
101094	* EasyStand XXL Electric	6 569,00
 Disc reflector		
100654	Disc Reflector for umbrella	68,00
 7" Grid Reflector and accessories		
100705	7" Grid Reflector	107,00
100634	Honeycomb Grid 10°	89,00
100635	Honeycomb Grid 5°	101,00
 Standard Zoom Reflect and accessories		
100610	Standard Zoom Reflector 65-110°	101,00
100785	Zoom Reflector (New)	136,00
100786	Zoom-Cap (New)	19,00
100671	Barn-door 4-sided, incl. holder for Grids 10 06 05, 10 06 06, 10 06 46	165,00
100701	Filterholder for gelatine filter size 40x40cm	102,00
900649	Grid- and Filterholder incl. Filter Cassette and Diffusions Filter	159,00
100604	Filter Cassette for Grid- & Filterholder 900649	35,00
100619	Diffusions Filter for Grid & Filterholder 90 06 49	6,00
100606	Honeycomb Grid 20° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	89,00
100605	Honeycomb Grid 10° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	101,00
100646	Honeycomb Grid 5° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	124,00
900362	Grid/Grid & Filterholder Kit incl. 90 06 49, 10 06 05, 10 06 06 and 10 06 46	441,00
900849	Grid Kit 5, 10 & 20	315,00
100651	Snoot for Grid & Filterholder 90 06 49	107,00
 Magnum, Tele-Zoom, Narrow-Beam Reflectors and accessor		
100624	Magnum reflector 337 mm	215,00
100617	Narrow-Beam Reflector 32°, 337mm	217,00
100712	Tele-Zoom Reflector 337 mm	464,00
100618	Honeycomb Grid 10°, 337mm	178,00
100670	ProTube	560,00
100715	Barndoors, 4-sided for 337mm Reflectors.	579,00

Softlight reflectors and accessories

100607	Softlight Reflector Silver 26°	253,00
100608	Softlight Reflector White 65° -the "Beauty Dish"	253,00
100609	Honeycomb Grid 25°	232,00
900633	Glass Kit incl. frosted front Glass and fixation parts	97,00
100704	Glass only, frosted	58,00

Narrow-Beam Travel Reflector

100714	Diffusor for Softlight reflector (-1/3 f-stop)	41,00
100713	Narrow-Beam Travel Reflector	159,00

Widezoom Reflector and accessories

100711	Widezoom Reflector	340,00
100636	Honeycomb Grid 10° for Widezoom Reflector	178,00

Reflectors for Ringflash

100642	Softlight Reflector for Ringflash only	269,00
100643	Close-up Reflector for Ringflash only	269,00
100717	WideSoft Reflector ProRing	269,00
100784	Diffusor for Ring flash	171,00

ProBox

900561	ProBox incl. Table Stand 310mm	622,00
100718	HardBox (we recommend using the clear glass cover with the HardBox)	676,00
100673	ProGlobe incl. Mounting Ring for Pro flash heads	425,00
100674	ProGlobe only, incl. clips for Mounting Ring 10 06 60 (for Profoto softbox)	221,00

Profoto Giant reflectors and diffusors

100633	Adapter Plate 144mm, for custom made reflectors	89,00
100314	New Profoto Giant White 150	999,00
100315	New Profoto Giant White 210	1 104,00
100316	New Profoto Giant Silver 150	1 104,00
100317	New Profoto Giant Silver 210	1 367,00
100318	New Profoto Giant Reflector 180	3 495,00
100319	New Profoto Giant Reflector 240	5 170,00
100320	New Profoto Giant Reflector 300	6 835,00
254518	Diffusor 1 f-stop Giant 150	140,00
254519	Diffusor 1 f-stop Giant 210	189,00
254585	Diffusor 1 f-stop Giant 180	155,00
254531	Diffusor 1 f-stop Giant 240	235,00
254587	Diffusor 1 f-stop Giant 300	350,00
254522	Diffusor 1/3 f-stop Giant 150	200,00
254523	Diffusor 1/3 f-stop Giant 210	271,00
254586	Diffusor 1/3 f-stop Giant 180	256,00

254533	Diffusor 1/3 f-stop Giant 240	372,00
254588	Diffusor 1/3 f-stop Giant 300	404,00
254566	7' RingMask	264,00
	* REFLECTORS/ACCESSORIES CAN NOT BE USED WITH PRODAYLIGHT AND PROTUNGSTEN HEAD	

Umbrellas

100611	Umbrella White Small, 0,85m diameter	76,00
100612	Umbrella White Medium, 1,05m diameter	97,00
100719	Umbrella White Large 1,30m diameter	197,00
100613	Umbrella Translucent Small, 0,85m diameter	63,00
100614	Umbrella Translucent Medium, 1,05m diameter	70,00
100615	Umbrella Silver Small 0,85m diameter	111,00
100616	Umbrella Silver Medium, 1,05m diameter	137,00
100720	Umbrella Silver Large, 1,30m diameter	247,00

Profoto Softbox

254576	New	Softbox 1x1,3' RF	288,00
254525		Profoto Softbox 2x2RF Diffusers, size 60x60cm	281,00
254526		Profoto Softbox 2x3RF Diffusers, size 60x90cm	296,00
254527		Profoto Softbox 3x4RF Diffusers, size 90x120cm	361,00
254577	New	Softbox 3x3' RF	342,00
254528		Profoto Softbox 3'OCTA Diffusers, diam. 90cm	496,00
254579	New	Softbox 2,3' Octa Gold	453,00
254578	New	Softbox 2,3' Octa	435,00
254524		Profoto Softbox 1x4RF Diffusers, size 30x120cm	322,00
254529		Profoto Softbox 5'OCTA Diffusers, diam. 150cm w/o speed ring	648,00
254534		Softbox 1x6' RF Diffusers w/o speed ring	361,00
254535		Softbox 4x6' RF	509,00
254536		Softbox 1x3' RF	281,00
254537		Flat front diff. 2x2'	40,00
254538		Flat front diff. 2x3'	59,00
254539		Flat front diff. 3x4'	72,00
254540		Flat front diff. 4x6'	95,00
254541		Flat front diff. 1x3'	40,00
254542		Flat front diff. 1x4'	40,00
254543		Flat front diff. 1x6'	44,00
254544		Flat front diff. 3'Octa	80,00
254546		Strip Mask 7cm for 1x4'	72,00
254545		Flat front diff. 5'Octa	99,00
254547		Strip Mask 7cm for 1x3'	72,00
254565		Strip Mask 10cm for 1x6'	74,00
254548		Strip Mask 20cm for 1x3'	72,00
254549		Strip Mask 7cm for 2x3'	99,00
254550		Strip Mask 15cm for 2x3'	99,00

254551	Strip Mask 10cm for 3x4'	114,00
254552	Strip Mask 35cm for 3x4'	114,00
254555	Grid 40 for Softbox 2x3'	272,00
254553	Dia Mask 80cm for 3x4'	114,00
254556	Grid Kit 40 for Softbox 3x4' Metal frame to get flat	569,00
254558	Grid Kit 40 for Softbox 1x6' Metal frame to get flat	474,00
254557	Grid Kit 40 for Softbox 4x6' Metal frame to get flat	687,00
254560	Grid 30 for Softbox 2x3'	415,00
254559	Grid 30 for Softbox 1x3'	336,00
254554	Grid 40 for Softbox 1x4'	243,00

Speed rings

100660	Profoto speedring incl. mounting ring	124,00
100721	* Speed Ring for Bron Pulso	84,00
100722	* Speed Ring for Balcar	84,00
100723	Speed Ring for Bowens	84,00
100724	Speed Ring for Elinchrom	84,00
100725	Speed Ring for Multiblitz Profilux	84,00
100726	Speed Ring for Multiblitz Variolite	84,00
100727	Speed Ring for Hensel Expert	84,00
100732	Speed Ring for Bron Visatec	84,00

Spotlights and their accessories

100706	ProFresnel Spotlight fresnel lens - 300 mm in diameter, 42 degr. light angle	1 358,00
100707	Barn-door 4-sided revolving * REFLECTORS/ACCESSORIES CANNOT BE USED WITH PRODAYLIGHT AND PROTUNGSTEN HEAD	311,00

Mola reflectors

100401	New MOLA Demi Reflector 22,0"	411,00
100402	New MOLA Setti Reflector 28,0"	877,00
100403	New MOLA Euro Reflector 33,5"	1 021,00
100404	New MOLA Mantti Reflector 43,5"	1 218,00
100405	New MOLA Demi Silver Reflector 22,0"	493,00
100406	New MOLA Setti Silver Reflector 28,0"	995,00
100407	New MOLA Euro Silver Reflector 33,5"	1 157,00
100408	New MOLA Mantti Silver Reflector 43,5"	1 394,00

Mola Accessories

100411	New MOLA Opal Glass All Units	91,00
100412	New MOLA Demi Diffuser	71,00
100413	New MOLA Settii Diffuser	81,00
100414	New MOLA Euro Diffuser	85,00
100415	New MOLA Mantti Diffuser	97,00
100416	New MOLA Hardware All Units	101,00

100417	New	MOLA Perfor. Alum. Diffuser All Units	59,00
100418	New	MOLA Demi Mesh Diffuser	81,00
100419	New	MOLA Settii Mesh Diffuser	91,00
100420	New	MOLA Euro Mesh Diffuser	101,00
100421	New	MOLA Mantti Mesh Diffuser	112,00
100633		Adapter Plate 144mm, for custom made reflectors Use adapterplate 100633 to fit Profoto heads	89,00

Miscellaneous

Stands and Stand Adapters

101075		Telescopic Pole for attachment to Pro-7a, Pro-7s, Pro-6, ProPack Flash Generator, 68/250cm, with Profoto snap-lock	111,00
101067		Telescopic Stand Mini-Pro included in Acute Travel Kits, 67/240cm, with Profoto snap-l	118,00
101003		Telescopic Stand Compact with fixing screws, 84/250cm, with Profoto snap-lock	80,00
101004		Telescopic Stand Maxi extra robust, 94/335cm, with Profoto snap-lock	160,00
101016		4-edged Stand Adapter (3/8" thread) for boom attachment	13,00
101079		Adapter OH 16mm diameter (5/8" thread) for over-head mounting Standard with all ProHeads	17,00
331001		Stand attachment for ComPacts	99,00

Cases and Bags

6631010		Compact Hard Case for one Acute2 and two heads or 3 ComPact's (300 or 600 Ws) (inside measurements are 59x19, 5x41)	262,00
330210		Soft Case (100x20x30 cm) with dividers and shoulder strap, for 2 ComPacts or 1 Acute2 generator and 2 heads + 2 stands and 2 umbrellas. Can also hold 4 flash heads.	114,00
340202		Pro-B Protective Bag	197,00
100281		Dust cover D4 Generator	66,00
100780		Striplight Case Small (104x25x24cm) for StripLight S w/ Barndoors	748,00
100781		Striplight Case Medium (164x25x24cm) for StripLight M w/ Barndoors	1 001,00
100782		Striplight Case Large (231x25x24cm) for StripLight L w/ Barndoors	1 405,00
340203		Pro-7 Generator Case 27x19x41 cm for Pro-8/7 gen only, or 7b/B2 w/ 1 Head or 2 batteries (divider 34 02 07 recommended)	404,00
340204		Pro Generator/Head Case 39x25x41 cm, Pro-8/7 + 1 Head	475,00
340205		Pro Generator/Head Case 59x20x41 cm, D4 + 4 Heads (no reflectors) or 2 complete Heads w/ Zoom refl.	497,00
340206	*	Acute generator/head Case (56x20x32cm) for Acute2 + 2 Heads	531,00

340207	*	Divider for two Pro-7b/B2 batteries	34,00
330208		Profoto AcuteB Kit Bag incl. Strap. For 1 AcuteB, 1 AcuteB head, extra battery and battery charger (41x13x24cm) with dividers	74,00
330209		Profoto Shoulder Strap "Separately"	6,00
340212	*	Softlight Air Case	277,00
340213	*	Magnum Air Case 3	291,00
340214	*	Magnum Air Case 5	324,00

Glass items for all products

Flashtubes

101528		ProHead Flashtube for ProHead, Pro-7 head and PB head, uncoated. Max 4800Ws	354,00
101532		Single Twin Flashtube for ProTwin, uncoated. Max 4800Ws	418,00
331507		ComPact 300 Flashtube for ComPact,UV-coated. Max 300Ws	140,00
331508	*	ComPact 300 Flashtube for ComPact, uncoated. Max 300Ws	140,00
331511		ComPact 600 Flashtube for ComPactPlus, UV-coated. Max 600Ws	171,00
331510	*	ComPact 600 Flashtube for ComPactPlus, uncoated. Max 600Ws	171,00
331514		CPP + Acute2 Flashtube for ComPactPlus 1200 and Acute2 head, uv-reduced. Max 4800Ws	325,00
331515		Acute/D4 Twin Flashtube for Acute/D4 twin head, uv-reduced. Max 4800Ws	397,00
301501		ProRing Flashtube for ProRing, UV-coated. Max 4800Ws.	470,00
301502		Flashtube Ringflash UNC	470,00
301508		ProRing2 Flashtube Ozone free high power quartz flashtube. max 4800Ws	894,00
331517		Acute/D4 ring Flashtube for Acute2 Ring, UV-coated. Max 3000Ws	470,00
331518	*	Acute/D4 Ring UNC Flashtube	470,00

THE PRO RING AND ACUTE/D4 RING FLASH IS NOT USER REPLACEBLE
PLEASE, CONTACT YOUR PROFOTO SERVICE STATION

Glass Covers

101533		ProHead + AcuteD4 head Glass Cover frosted, UV-coated	158,00
101535	*	ProHead + AcuteD4 head Glass Cover frosted, X-tra UV-coated	169,00
101534		ProHead + AcuteD4 head Glass Cover frosted, uncoated	152,00
101537		ProHead + AcuteD4 head Glass Cover clear, UV-coated	158,00
101536		ProHead + AcuteD4 head Glass Cover clear, uncoated	158,00
101518		PB Glass Cover	158,00

	for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead with 500W, ComPact and ProTungsten, frosted, UV-coat, frosted, UV-coated and for Prohead w. 500W	
101519	* PB Glass Cover	169,00
	for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact and ProTungsten, frosted, extra UV-coated	
101520	PB Glass Cover	152,00
	for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, frosted, uncoated	
101521	PB Glass Cover	158,00
	for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, UV-coated	
101523	PB Glass Cover	158,00
	for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, uncoated	
282010	PD Glass Cover UV-SAFE	197,00
	for ProDaylight 1200 Head, incl. aluminium socket, clear, UV safe design and coating. Must be used when lighting people, animals and UV-sensitive material	
100702	Locking Springs	6,00
	for all Glass Covers above, set of two	
101522	PD Glass Cover UV-SAFE	187,00
	for ProDaylight 575 Head	
301503	Glass Cover Plate	17,00
	for Ringflash, set of 6 pieces	

Modelling Lamps

102008	Modelling Lamp 100W/240V, E27 socket	4,00
102010	Modelling lamp 150W/240V, Halogen, E27 socket	22,00
102012	Modelling Lamp 250W/240V, Halogen, E27 socket	22,00
102013	Modelling Lamp 250W/240V, Halogen, Mini-can E11 socket	20,00
102015	Modelling Lamp 500W/240V, Halogen, Mini-can, E11 socket	30,00
102021	150W 120V Halogen Mod.lamp E27	20,00
102014	Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	20,00
102011	Modelling Lamp 150W/120V, Halogen, E27 socket	22,00
102016	Modelling Lamp 250W/120V, Halogen, E27 socket	26,00
102002	Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	22,00
102007	Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	31,00
102019	20W 12V Frosted G4 for ProRing2 (10 lamps is used in ProRing2)	2,00
102018	65W 12V Halogen GY 6,35 For AcuteB Head	11,00

Accesories for ProDaylight (discontinued)

283501	PD Extension Cable 5m for PD Head 1200 (Blue marking)	197,00
283502	PD Extension Cable 5m for PD Head 575 (Red marking)	197,00
280601	Protective Cap for ProDaylight (aluminium)	109,00
282011	UV-filtered Glass Disc for UV-safe cover	84,00
280602	Wire Mesh Safety Cover for ProDaylight head	77,00

Glass Covers

211502	Pro-1 and Pro-2 S Flashtube for Pro-1/2 S Lamp Head, un-coated	506,00
--------	--	--------

Pro-32

221501	32 Flashtube for Pro-32 Pro-40, Pro-41 and Pro-81	231,00
231503	41/81 Flashtube for Pro-41 and Pro-81, UV-coated	583,00

Pro-3, Pro-3A, Pro-5 and Pro-6

101513	PF Flashtube for PF Head incl. frosted Glass Cover, UV-coated. Max 3000Ws	546,00
101514	PF Flashtube for PF Head, incl. frosted Glass Cover, uncoated. Max 3000Ws	533,00
101515	OLD Single Pro-5 Twin Flashtube for old style Twin Head used with Pro-5, uncoated. Max 4800Ws	569,00
101531	OLD Single Twin Flashtube oldest style Twin Head (o 70 mm), uncoated. Max 3000Ws	473,00
101509	PS Flashtube for ProSticklight incl. frosted UV-coated Glass Cover. Max 3000Ws	494,00

THE PRO STICK LIGHT GLASS COVER IS NOT USER REPLACABLE
PLEASE, CONTACT YOUR PROFOTO SERVICE STATION

101516	PF Glass Cover for PF Flashtube 10 15 13/10 15 14, frosted, uncoated	209,00
100648	Very OLD Twin Glass Cover old ver. of Twin Head (o 70mm), frosted, uncoated	209,00
100685	Old Twin Glass Cover (o 75mm), frosted and UV-coated	204,00
100684	Old Twin Glass Cover (o 75mm), frosted, uncoated	204,00

Acute, Acute Alpha

331503	AB, ABS and PAB Flashtube for Acute Head, UV-coated. Max 3000Ws	368,00
331504	* AB, ABS and PAB Flashtube for Acute Head, un-coated. Max 3000Ws	359,00

* = Not a stock keeping unit,
ask orderdepartment
for deliverytime